

Fluoride, Chloramines, Chlorine, VOC's, Lead, and Heavy Metals

AquaMetix® is a proprietary matrix comprising of at least two types of activated carbon, combined with proprietary Zeolite minerals, structurally bound with polymers into a highly porous block filter



AquaMetix® combines the highest FDA-compliant raw materials, with cutting-edge manufacturing methods resulting in unparalleled performance in an exclusively U.S.A. Manufactured product.

MADE IN USA

| | Chloramines | VOC's | Chlorine | Lead | Mercury | MTBE | Pharmaceuticals | Fluoride |
|-------------------------|---------------|-----------------|-----------------|---------------|---------------|--------------|-----------------|--|
| Overall % | >99% | 94% | >99% | >99% | >98% | 92.2% | 96.1% | 93% |
| Reduction | Reduction | Reduction | Reduction | Reduction | Reduction | Reduction | Reduction | Reduction |
| CF-AMB-975 | 3500 gallons | 1400 gallons | +3500 gallons | 3500 gallons | 4000 gallons | 800 gallons | 1500 gallons | 1000 gallons |
| CF-AMB-20 | 7000 gallons | 2800 gallons | +7000 gallons | 7000 gallons | 8000 gallons | 1600 gallons | 3000 gallons | 2000 gallons |
| CF-AMB-BB-10 | 10700 gallons | 4200 gallons | +10700 gallons | 10700 gallons | 10700 gallons | 2400 gallons | 4500 gallons | 3000 gallons |
| CF-AMB-BB-20 | 20700 gallons | 8400 gallons | +20700 gallons | 20700 gallons | 20700 gallons | 4800 gallons | 9000 gallons | 6000 gallons |
| Certified Test Protocol | Standard 42 | Standard 53 | Standard 42 | Standard 53 | Standard 53 | Standard 53 | Standard 401 | Standard 53 Modified (1 ppm) Challenge |
| Lab | IAPMO | Pace Analytical | Pace Analytical | IAPMO | IAPMO | IAPMO | QFT | QFT |

These filters are not intended to be used where the water is microbiologically unsafe or with water of unknown quality without adequate disinfection before or after the filter. Maximum operating temperature 100°F; Maximum operating pressure 100 psi.

All performance claims presented here are based on data believed to be reliable but are not to be considered a warranty of performance.

Performance of the filter may be altered by the housing, or the source water's organic content, turbidity, pH, or other conditions encountered in actual use.